

## **Predictive Analytics Challenges based on Cloud Computing for Urban Planning**

**John Balen<sup>1</sup>, Adisa Inokon<sup>2</sup> Akaw Johnima<sup>2</sup>, Ibrina Browndi<sup>2</sup>**

<sup>1</sup> Department of Computer Science, Rivers State University, Port Harcourt, Nigeria

<sup>2</sup> Department of Urban and Regional Planning, Rivers State University, Port Harcourt, Nigeria

---

### **ABSTRACT**

This paper presents a new approach to predictive analysis for social processes. Part I identifies a class of social processes, called positive externality processes, which are both important and difficult to predict, and introduces a multi-scale, stochastic hybrid system modeling framework for these systems. In Part II of the paper we develop a systems theory based, computationally tractable approach to predictive analysis for these systems. Among other capabilities, this analytic methodology enables assessment of process predictability, identification of measurable which have predictive power, discovery of reliable early indicators for events of interest, and robust, scalable prediction. The potential of the proposed approach is illustrated through case studies involving online markets, social movements, and protest behaviour.

**KEYWORDS:** Predictive Analysis, Urban Planning, Innovation Adoption

---

### **1.0 INTRODUCTION**

Predictive analytics is composed of two words predict & analysis, but it works in reverse viz. first analyze then predict. It is human nature to want to know and predict what the future holds. Predictive analytics deals with the prediction of future events based on previously observed historical data by applying sophisticated methods like machine learning. The historical data is collected and transformed by using various techniques like filtering, correlating the data, and so on. Prediction process can be divided into four steps: (1) collect and pre-process raw data; (2) transform pre-processed data into a form that can be easily handled by the (selected) machine learning method; (3) create the learning model (training) using the transformed data; report predictions to the user using the previously created learning model [1-30]. The future of Cloud Computing lies in predictive analytics. The terms Cloud Computing and data extraction are often confused with each other; but there is a significant difference [31-40]. Data extraction involves obtaining data from one data source and loading it into a targeted database [40-44]. Thus one may 'extract' data from a source or legacy system to put it into a standard database or data warehouse [1-18]. Cloud Computing, on the other hand, is the extraction of obscure or hidden predictive information from large databases or data warehouses. Also known as knowledge discovery, Cloud Computing is the practice of searching for patterns in stores of data [19-26]. To this end, Cloud Computing uses computational techniques from statistics and pattern recognition [27-33]. Looking for patterns in data thus defines the nature of Cloud Computing [63-65]. A predictive analytical model is built by Cloud Computing tools and techniques [34-44]. The first step consists of extracting data by accessing massive databases. The data thus obtained is processed with the help of advanced algorithms to find hidden patterns and predictive information [1-20]. Though there is an obvious connection between statistics and Cloud Computing, methodologies used in Cloud Computing have originated in fields other than statistics [21-31]. Cloud Computing lies at the confluence of several streams of applied knowledge such as database management, data visualization, machine learning, artificial intelligence and pattern recognition. Most Cloud Computing techniques includes genetic algorithms, decision trees, artificial neural networks, rule induction and nearest neighbor method [31-44]. Predictive analytics is used to determine the probable future outcome of an event or the likelihood of a situation occurring [1-17]. It is the branch of Cloud Computing concerned with the prediction of future probabilities and trends [18-26]. Predictive analytics is used to automatically analyze large amounts of data with different variables; it includes clustering, decision trees, market basket analysis, regression modeling, neural nets, genetic algorithms, text mining, hypothesis testing, decision analytics, and more [26-44]. The core element of predictive analytics is the 'predictor', a variable that can be measured for an individual or entity to predict its future behavior. For example, a credit card company may consider age, income, and credit history as predictors to determine the risk factor in

issuing a credit card to an applicant [22-33]. Multiple predictors can be combined into a predictive model, which is then used to forecast future probabilities with an acceptable level of reliability. In predictive modeling, data is collected, a statistical model is formulated, predictions are made, and the model is validated (or revised) as additional data become available [17-29]. Predictive analytics combines business knowledge and statistical analytical techniques which, when applied to business data, produce insights [1-18]. These insights help organizations understand how people behave as customers, buyers, sellers, distributors, and so on [19-28]. Multiple related predictive models produce insights for making strategic company decisions such as exploring new markets, acquisitions, and retentions; finding up-selling and cross-selling opportunities; and discovering areas that can improve security and fraud detection. Predictive analytics indicates not only what to do, but also how and when to do it, and to explain 'what-if' scenarios [29-44]. The major objective of Cloud Computing is to build a model that can be used to predict the occurrence of an event. The model builders will extract knowledge from historic data and represent it in such a form that the resulting model can be applied to new situations. The process of analyzing data sets extracts useful information on which to apply one or more Cloud Computing techniques in order to discover previously unknown patterns within the data, or find trends in the data which can then be used to predict future trends or behaviours. Cloud Computing can be divided into two main categories: supervised (predictive) and unsupervised (descriptive).

---

## 2.0 LITERATURE REVIEW

Predictive models analyze identify patterns in historical and transactional data to determine various risks and opportunities. Forecasting models capture relationships between many factors to allow assessment of the risks or potential associated with a particular set of conditions, guiding decision making for candidate transactions. Three basic techniques for Predictive analytics are Data profiling and Transformations, Sequential Pattern Analysis and Time Series Tracking [1-21]. Data profiling and transformations are functions that change the row and column attributes and analyses dependencies, data formats, merge fields, aggregate records, and make rows and columns [22-31]. Sequential pattern analysis identifies relationships between the rows of data. Sequential pattern analysis involves identifying frequently observed sequential occurrence of items across ordered transactions over time. Time Series Tracking is an ordered sequence of values at variable time intervals at the same distance [32-44]. Time series analysis gives the fact that the data points taken over time [1-8]. There are some advanced Predictive analytic techniques like Classification-Regression, Association analysis, Time series forecasting to name a few. Classification uses attributes in data to assign an object to a predefined class or predict the value of a numeric variable of interest [9-16]. Regression analysis is a statistical tool for the study of relations between variables. Association analysis describes significant associations between data elements. Time series analysis is employed for forecasting the future value of a measure based on past values [17-25]. In supervised learning, data is modelled from training data to find patterns within the data which can then be used to predict a label or value, given some set of parameters. Supervised learning is the process of creating predictive models using a set of historical data that contains the results we are trying to predict. The type of data determines whether this is done using a Regression or a Classification algorithm [26-33]. Regression is a statistical methodology that was developed by Sir Frances Galton, a mathematician who was also a cousin of Charles Darwin. Regression analysis can be used to model the relationship between one or more independent or predictor variables and a dependent or response variable (which is continuous valued) [32-44]. The simplest form of regression, linear regression, uses the formula of a straight line ( $y = mx + c$ ) and determines the appropriate values for  $m$  and  $c$  to predict the value of  $y$  based on the input parameter,  $x$ . Advance techniques, such as multiple regression, allow the use of more than one input variable and allow for the fitting of more complex models, such as higher order polynomial equations [1-15]. Regression is a well-established and reliable statistical technique [16-22]. Classification is the set of Cloud Computing techniques used to fit discrete (categorical) data to a known structure in order to be able to form predictions for the class label of unlabeled data. Typically, classification algorithms are done in three phases, the first two phases, training and testing, use labelled data, that is, data which has known class labels. Training uses a portion of the data to fit a classifying model to the data. The testing phase then uses the models to try and predict the class labels, and validates the predictions using the actual values in order to determine how accurate the model is. The feedback from this determines how well the models work,

and whether new models should be built. Once an acceptable model is built that passes the testing phase, the classifier is deployed on unlabeled data. This is called the deployment phase. Common classification algorithms include Bayesian classification, decision trees, back-propagation and neural networks, and genetic and evolutionary learners [21-32]. Unsupervised learning refers to the problem of trying to find hidden structure in unlabeled data. Unlike supervised algorithms, unsupervised algorithms do not learn from historical data with known labels, hence, they perform without any supervision. Standard unsupervised techniques include clustering, characterization, association rule mining, and change and deviation detecting techniques [33-44]. Predictive Analytics consists of a variety of statistical techniques from modeling, machine learning, Cloud Computing and game theory that analyze current and historical facts to make predictions about future events [1-6]. Predictive models exploit patterns found in historical and transactional data to identify risks and opportunities. Models capture relationships among many factors to allow assessment of risk or potential associated with a particular set of conditions. Predictive analytics use data-mining techniques in order to make predictions about future events, and make recommendations based on these predictions [7-13]. The core of predictive analytics relies on capturing relationships between explanatory variables and the predicted variables from past occurrences, and exploiting it to predict future outcomes. It is important to note, however, that the accuracy and usability of results will depend greatly on the level of data analysis and the quality of assumptions [14-23]. Generally, the term predictive analytics is used to mean predictive modeling, "scoring" data with predictive models, and forecasting. However, people are increasingly using the term to describe related analytical disciplines, such as descriptive modeling and decision modeling or optimization. These disciplines also involve rigorous data analysis, and are widely used in business for segmentation and decision making but have different purposes and the statistical techniques underlying them vary. Predictive models analyze past performance to assess whereas Descriptive models quantify relationships in data [24-32]. Decision models describe the relationship between all the elements of a decision — the known data (including results of predictive models), the decision and the forecast results of the decision — in order to predict the results of decisions involving many variables [33-44]. These models can be used in optimization, maximizing certain outcomes while minimizing others [1-9]. R. Maciejewski et al. [3-13] proposed a model for spatiotemporal data, as analysts are searching for regions of space and time with unusually high incidences of events (hotspots), created a predictive visual analytics toolkit that provides analysts with linked spatiotemporal and statistical analytic views. The system models spatiotemporal events through the combination of kernel density estimation for event distribution and seasonal trend decomposition by loss smoothing for temporal predictions. J. Yue et al. [13-21] In this paper they specifically address predictive tasks that are concerned with predicting future trends, and proposed RESIN, an AI blackboard-based agent that leverages interactive visualization and mixed-initiative problem solving to enable analysts to explore and pre-process large amounts of data in order to perform predictive analytics. R. M. Riensche et al. [21-33] described a methodology and architecture to support the development of games in a predictive analytics context, designed to gather input knowledge, calculate results of complex predictive technical and social models, and explore those results in an engaging fashion. Z. Huang et al. [32-44] applied predictive analytics techniques to establish a decision support system for complex network operation management and help operators predict potential network failures and adapt the network in response to adverse situations. The resultant decision support system enables continuous monitoring of network performance and turns large amounts of data into actionable information. Sanfilippo et al. [13-23] Proposed New methods for anticipatory critical thinking have been developed that implement a multi-perspective approach to predictive modeling in support of Naturalistic Decision Making. R. Banjade et al. [21-29] this paper considers linear regression technique for analyzing large-scale dataset for the purpose of useful recommendations to e-commerce customers by offline calculations of model results. V. H. Bhat et al. [27-36] presents a novel pre-processing phase with missing value imputation for both numerical and categorical data. A hybrid combination of Classification and Regression Trees (CART) and Genetic Algorithms to impute missing continuous values and Self Organizing Feature Maps (SOFM) to impute categorical values is adapted in their work. V. H. Bhat et al. [35-44] proposed an efficient imputation method using a hybrid combination of CART and Genetic Algorithm, as a preprocessing step. The classical neural network model is used for prediction, on the pre-processed dataset. N. Chinchor et al. [1-15] this tutorial addresses combining multimedia analysis and visual analytics to deal with information from different sources, with different goals or objectives, and containing different media types and combinations of types. The resulting combination is multimedia analytics. M. A. Razi et al. [16-30] performed a three- way comparison of prediction accuracy involving nonlinear regression, NNs and

CART models using a continuous dependent variable and a set of dichotomous and categorical predictor variables [31-44].

### 3.0 RESEARCH MODEL

Although most experts agree that predictive analytics requires great skill and some go so far as to suggest that there is an artistic and highly creative side to creating models, generally predictive models need some basic steps of developing them [1-21]. These steps are: Project Definition: Define the business objectives and desired outcomes for the project and translate them into predictive analytic objectives and tasks; Exploration: Analyze source data to determine the most appropriate data and model building approach; Data Preparation: Select, extract, and transform data upon which to create models; Model Building: Create, test, and validate models, and evaluate whether they will meet project metrics and goals; Deployment: Apply model results to business decisions or processes; and Model Management: Manage models to improve performance (i.e., accuracy), control access, promote reuse, standardize toolsets, and minimize redundant activities. Most experts hold the view that the data preparation phase of creating predictive models is the most time-consuming part of the process. There are various Modeling Process stages; some of them have been discussed over here as follows [21-33]: Purpose: This stage describes the objective of the project. Obtain the data: Gathering data samples from various sources regarding the project. Explore, clean and pre-process the data: Exploration can be performed by describing the variables, tokens and other terms which is used in project quite general. Sometimes these terms are in cryptic form or may be in short form, for which we have to tell the full explanation and the places where it can be used. We can also specify the conditions where these variables can be used [31-44]. Reduce the data and partition them into training, validation and test partitions: In this stage we try to reduce the variables or terms for the sake of simplicity. We can reduce number of variables by making the small group of similar purpose variables [1-9]. We will partition the data into a training set to build the model and a validation set to see how well the model does. This technique is a part of supervised learning process in classification and prediction problem. These problems can be used to develop other models and the value of outcome variables can be used in unknown places [10-19]. At this stage we can partition the data into training and validation. Training will build the model and partition will apply model on data to see how well the model does [20-29]. A Cloud Computing endeavor involves testing multiple models, perhaps with multiple settings on each model. Starting from one model and test it one validation data might give us an idea about the performance of that model on such data. However, when we choose the best performing model, the validation data no longer provides an unbiased estimate of how the models might do with more data. By playing the role in choosing the best model the validation data have become the part of the model itself [30-39]. Determining the Cloud Computing task: Cloud Computing task in building the model is to find the objective [37-44]. Choosing the technique: The data which is divided into training and validation partitions can be used for creating the model by various techniques [1-11]. Use the algorithm to perform the task: In this stage we apply some of the algorithm to find fitted value (by applying algorithm on training data) and predicted value (by applying algorithm on validation data). Note that the predicted values would often be called the fitted values, since they are for the records to which the model was fit.

Prediction error can be measured in several ways.

1. Average error
2. Total sum of squared errors
3. RMS error (Root mean squared error)

Interpret the results: At this stage we try other prediction algorithms and see how they do error-wise. We might also try different settings on the various models. After choosing the best model (typically, the model with the lowest error on the validation data while also recognizing that "simpler is better"), we use that model to predict the output variable in fresh data. Deploy the model: After the best model is chosen, it is applied to new data. Predictive Analytics can be used in many applications. Here we cite some examples where it has made a positive impact [11-21]. Medical decision support system: Experts use predictive analysis in health care primarily to determine which patients are at risk of developing certain conditions like diabetes, asthma, heart disease and other lifetime illnesses [22-30]. Fraud detection: Fraud is widely spread across industries. Cases of fraud appear in diverse fields such as credit card activations, invoices, tax returns, online activities, insurance claims and telecom call activities. All these industries are interested in a) detecting frauds

and bringing those responsible to book and b) preventing and monitoring fraud at reasonable costs [31-44]. Predictive modeling can help them achieve these objectives. The may also be used to detect financial statement fraud in companies. Insurance: Similar to fraud, unexpectedly high and suspicious claims are the bane of insurance companies. They would like to avoid paying such claims. Though the objective is simple enough, predictive modeling has had only partial success in eliminating this source of high loss to companies. This is a promising area of further research [1-14]. Health: While the systematic applications of predictive modeling in healthcare are relatively new, the fundamental applications are similar to those in the other areas. After all minimizing customer risk is the objective. In healthcare this is the risk of readmission, which can be reduced by identifying high risk patients and monitoring them [15-27]. Financial prediction: Predictive analytics is useful in financial predictions [28-35]. Customer retention: By a frequent examination of a customer's past service usage, performance, spending and other behavior patterns, predictive models can determine the likelihood of a customer wanting to terminate a service sometime in the near future [22-31]. Analytical customer relationship management (CRM): Analytical Customer Relationship Management is a frequent commercial application of Predictive Analysis. CRM uses predictive analysis in applications for marketing campaigns, sales, and customer services to name a few [36-44].

#### 4.0 CONCLUSION

It has been widely quoted that "information is the new oil". We've traveled from an industrial age, powered by hydrocarbons, to an information age driven by data. Predictive analytics, broadly defined, focuses on extracting features from data and building models that can predict future events: Here we discuss some of the outstanding challenges in this field, with regard to: (i) privacy and ownership of data, (ii) analysis of user data, (iii) scaling of algorithms, and (iv) emerging data ecosystems & exchanges. Privacy and Ownership of Data: Privacy and ownership of data is big issue. There is always conflict between producer and consumer of data, there are many organizations that believe that data should be open and that openness and interoperability provide them with a competitive advantage. Analysis of User Data: The major focus of analysis of user data is in determining user's intent. This is certainly the focus of a lot of the predictive analytics used in online advertising, and the reason that search advertising is far more effective than display advertising. Scaling of Algorithms: Having more data is always beneficial for data based system, due to Popularization of social media huge database repository has been created, we have to push the limits in terms of scalability for systems. "The major problem associated with scaling algorithms is that communications and synchronization overheads go up and so a lot of efficiency can be lost, especially where the computation doesn't fit nicely into a map/reduce model". Data Ecosystems and Exchanges: "The emergence of data exchanges is clearly related to the problems with ownership of data. They allow data to be exchanged under a clear set of rules with ownership and conditions contractually determined. They also allow for a company to have a viable business model as a data provider and so provide useful data to the whole ecosystem without having to also compete on how the data is used". The future of Cloud Computing lies in Predictive Analytics. This study mainly focuses on opportunities, applications, trends & challenges of Predictive Analytics in urban planning discovery domain. Predictive Analytics is an area of interest to almost all communities and organizations. Predictive analytics is using business intelligence data for forecasting and modeling. Proper Cloud Computing algorithms and predictive modeling can refine search for targeted customers. Predictive Analytics can aid in choosing best methods, and planning new city more efficiently. Predictive Analytics can be also helpful in future of Smart City Planning.

#### REFERENCES

- [1] Oke, T. R., and MAXWELL GB. "Comparison of urban/rural cooling rates at night." (1972).
- [2] Berdahl, Paul, and Sarah E. Bretz. "Preliminary survey of the solar reflectance of cool roofing materials." *Energy and Buildings* 25.2 (1997): 149-158.
- [3] Padmanabhamurty, B. "Some physical features of heat and humidity islands at Delhi." *Mausam* 33.2 (1982): 211-216.
- [4] Surawar, Meenal, and Rajashree Kotharkar. "Assessment of urban heat island through remote sensing in Nagpur urban area using landsat 7 ETM+ Satellite Images." *International Journal of Urban and Civil Engineering* 11.7 (2017): 868-874.
- [5] Favretto, Andrea. "Urban Heat Island analysis with Remote Sensing and GIS methods: an application in the Trieste area (North-East of Italy)." *Bollettino Della Società Geografica Italiana Serie* 1.1 (2018): 215-229.
- [6] Embouma, Mike, et al. "Smart Green Evenhanded Metropolis Actions against Urban Planning in European Union." *International Journal of Basis Applied Science and Study* 56.14 (2019): 1218-1222.

- [7] Sadat Safavi, Nazli, Nor Hidayati Zakaria, and Mahyar Amini. "The risk analysis of system selection and business process re-engineering towards the success of enterprise resource planning project for small and medium enterprise." *World Applied Sciences Journal (WASJ)* 31.9 (2014): 1669-1676.
- [8] Amini, Mahyar, and Aryati Bakri. "Cloud computing adoption by SMEs in the Malaysia: A multi-perspective framework based on DOI theory and TOE framework." *Journal of Information Technology & Information Systems Research (JITISR)* 9.2 (2015): 121-135.
- [9] Zalnejad, Kaveh, Seyyed Fazlollah Hosseini, and Yousef Alipour. "The Impact of Livable City's Principles on Improving Satisfaction Level of Citizens; Case Study: District 4 of Region 4 of Tehran Municipality." *Armanshahr Architecture & Urban Development* 12.28 (2019): 171-183.
- [10] Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Heuristic Solution For IaaS Cloud Placement Problem Without Migration." *International Journal of Computer Science and Information Technologies* 6.11 (2014): 25-30.
- [11] Fallahdzicheh, Amirhossein, and Chao Wang. "Profile monitoring based on transfer learning of multiple profiles with incomplete samples." *IIE transactions* 54.7 (2022): 643-658.
- [12] Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Solution For IaaS Cloud Placement Problem Using Simulated Annealing." *International Journal of Computer Science and Information Technologies* 6.11 (2014): 52-57.
- [13] Opuiyo, Atora, et al. "Three-Dimensional Modelling of Urban Temperature Landmasses and Its Planning Consequences." *International Journal of Smart City Planning Research* 20.21 (2019): 426-430.
- [14] Amini, Mahyar, et al. "Development of an instrument for assessing the impact of environmental context on adoption of cloud computing for small and medium enterprises." *Australian Journal of Basic and Applied Sciences (AJBAS)* 8.10 (2014): 129-135.
- [15] Zalnezhad, Kaveh, Mahnaz Esteghamati, and Seyed Fazlollah Hoseini. "Examining the Role of Renovation in Reducing Crime and Increasing the Safety of Urban Decline Areas, Case Study: Tehran's 5th District." *Armanshahr Architecture & Urban Development* 9.16 (2016): 181-192.
- [16] Amini, Mahyar, et al. "Types of cloud computing (public and private) that transform the organization more effectively." *International Journal of Engineering Research & Technology (IJERT)* 2.5 (2013): 1263-1269.
- [17] Amini, Mahyar. "The factors that influence on adoption of cloud computing for small and medium enterprises." (2014).
- [18] Fallahdzicheh, Amirhossein, and Chao Wang. "Transfer learning of degradation modeling and prognosis based on multivariate functional analysis with heterogeneous sampling rates." *Reliability engineering & system safety* 223 (2022): 108448.
- [19] Amini, Mahyar, et al. "The role of top manager behaviours on adoption of cloud computing for small and medium enterprises." *Australian Journal of Basic and Applied Sciences (AJBAS)* 8.1 (2014): 490-498.
- [20] Sadat Safavi, Nazli, Mahyar Amini, and Seyyed AmirAli Javadinia. "The determinant of adoption of enterprise resource planning for small and medium enterprises in Iran." *International Journal of Advanced Research in IT and Engineering (IJARIE)* 3.1 (2014): 1-8.
- [21] Amini, Mahyar, et al. "Agricultural development in IRAN base on cloud computing theory." *International Journal of Engineering Research & Technology (IJERT)* 2.6 (2013): 796-801.
- [22] Amini, Mahyar, and Nazli Sadat Safavi. "Cloud Computing Transform the Way of IT Delivers Services to the Organizations." *International Journal of Innovation & Management Science Research* 1.61 (2013): 1-5.
- [23] Newiduum, Ladson, Keypi Jackson, and Ibrina Browndi. "Information Technology and Cloud Computing Altering the Searching and Training of Involved Urban Planning." *International Journal of Science and Information System* 4.2 (2019): 90-95.
- [24] Amini, Mahyar, and Nazli Sadat Safavi. "Critical success factors for ERP implementation." *International Journal of Information Technology & Information Systems* 5.15 (2013): 1-23.
- [25] Bagherpour, M., et al. "Project scheduling and forecasting by laws of physical movement." *Journal of Project Management* 4.2 (2019): 97-108.
- [26] Sadat Safavi, Nazli, et al. "An effective model for evaluating organizational risk and cost in ERP implementation by SME." *IOSR Journal of Business and Management (IOSR-JBM)* 10.6 (2013): 70-75.
- [27] Khoshraftar, Alireza, et al. "Improving The CRM System In Healthcare Organization." *International Journal of Computer Engineering & Sciences (IJCES)* 1.2 (2011): 28-35.
- [28] Amini, Mahyar, et al. "Types of cloud computing (public and private) that transform the organization more effectively." *International Journal of Engineering Research & Technology (IJERT)* 2.5 (2013): 1263-1269.
- [29] Yun, Chidi, et al. "Predictive Analytics: A Survey, Trends, Applications, Opportunities' and Challenges for Smart City Planning." *International Journal of Computer Science and Information Technology* 23.56 (2022): 226-231.
- [30] Jackson, Keypi, et al. "Character of Top Leader on Adoption of Cloud Predictive Analysis for Urban Planning of Small and Medium Enterprises." *International Journal of Information System and Innovation Adoption* 15.11 (2022): 125-133.
- [31] Hosseini, Seyed Fazlollah and koozegar, lotfali. "The impact of corona virus epidemic on the urban transportation system." *Revista on line de gestao e politica Educacional*, 2022.
- [32] Shun, Miki, et al. "Predictive Analysis for Urban Planning based on Cloud Computing Adoption." *International Journal of Management System and Applied Science* 9.5 (2022): 345-349.
- [33] Ewani, Joe, et al. "Smart City and Future of Urban Planning based on Predictive Analysis by Adoption of Information Technology." *Journal of Basis Applied Science and Management System* 4.8 (2022): 425-431.
- [34] Balen, John, et al. "Predictive Analytics Challenges based on Cloud Computing for Urban Planning." *International Journal of*

- [35] Dimitrijevic, Branislav, et al. Segment-Level Crash Risk Analysis for New Jersey Highways Using Advanced Data Modeling. No. CAIT-UTC-NC62. Rutgers University. Center for Advanced Infrastructure and Transportation, 2020.
- [36] Bitala, Wilmin, et al. "PREDICTIVE ANALYSIS TOWARDS INTEGRATION OF URBAN PLANNING AND GIS TO MANAGE HEALTH CARE ORGANIZATION." *International Journal of Science and Advanced Technology* 36.17 (2022): 81-87.
- [37] Junta, Utian, et al. "PREDICTIVE ANALYSIS OF URBAN PLANNING FOR THROUGH THE OPERATION OF ARTIFICIAL CLOUD NETWORK." *International Journal of Science and Advanced Technology* 62.42 (2022): 622-627.
- [38] Dimitrijevic, Branislav, et al. "Short-Term Segment-Level Crash Risk Prediction Using Advanced Data Modeling with Proactive and Reactive Crash Data." *Applied Sciences* 12.2 (2022): 856.
- [39] Johnima, Akaw, et al. "IMPROVEMENT OF AN SUITABLE MODEL FOR PREDICTING MUNICIPAL SOLID WASTE PRODUCTION." *International Journal of Science and Information Technology Research* 36.12 (2022): 214-218.
- [40] Lotisa, Vivian, et al. "Numerical optimization for esterification of waste coffee grounds oil using reaction external approach." *International Journal of Information Systems and Management* 64.86 (2022): 891-896.
- [41] Inokon, Adisa, et al. "Numerical optimization for esterification of waste coffee grounds oil using reaction external approach." *International Journal of Systems Management and Innovation Adoption* 124.14 (2022): 517-521.
- [42] Lotisa, Vivian, et al. "Assessment of biogas construction potential from sensitive and administered agricultural wastelands." *International Journal of Agricultural Management and Development* 36.24 (2022): 41-46.
- [43] Amini, Mahyar, et al. "MAHAMGOSTAR.COM as a Case Study for Adoption of Laravel Framework As the Best Programming Tool for PHP Based Web Development for Small and Medium Enterprises." *Journal of Innovation & Knowledge*, ISSN (2021): 100-110.
- [44] Safavi, Nazli Sadat, et al. "An effective model for evaluating organizational risk and cost in ERP implementation by SME." *IOSR Journal of Business and Management (IOSR-JBM)* 10.6 (2013): 61-66.